Clin. lab. Haemat. 1991, **13**, 405–409

Author index to Volume 13

ABELA M., *see* VAN RHEE, F.

ADAMSON D.J.A. & CURRIE J.M. Reversible infertility and Castleman's disease **349**

AKHTAR N., THOMPSON J., DURRANT S.T.S., ANGEL C.A., LAUDER I. & WOOD J.K. The clinical relevance of plasma viscosity in Hodgkin's disease **1**

ALLEN D.L., *see* MAYNE K.M.

AMATO D., *see* LISHNER M.

ANGEL C.A., *see* AKHTAR N.

ANTIPASS S.-E.P., *see* DIMITRIOU P.A.

AOKI S., *see* TAKAHASHI M.

BAGLIN T.P., CROCKER J., TIMMINS A., CHANDLER S. & BOUGHTON B.J. Bone marrow hypervascularity in patients with myelofibrosis identified by infra-red thermography **341**

BAGLIN T.P., *see* LEE K.

BAIN B.J., *see* BENJAMIN S.

BAKER M.A., *see* LISHNER M.

BARDEN G., *see* WICKRAMASINGHE S.N.

BARRETT A.J., *see* MCMULLIN M.F.

BELLINGHAM A.J., *see* HENDERSON S.J.

BENJAMIN S., BAIN B.J. & DODSWORTH H. Case report: severe bleeding associated with worsening thrombocytopenia following alpha interferon therapy for autoimmune thrombocytopenic purpura **315**

BERTI P., *see* D'ONOFRIO G.

BOWELL P.J., *see* MAYNE K.M.

BOUGHTON B.J., *see* BAGLIN T.P.

BRADLEY T., *see* SMITH G.M.

BROZOVIC B., *see* SMITH O.P.

CAPPABIANCA M.P., *see* D'ONOFRIO G.

CASSINI C., *see* D'ONOFRIO G.

CAVE R.J., *see* PATTON W.N.

CESANA B.M., MAIOLO A.T., GIDIULI I., DAMILANO I., MASSARO P., POLLI E.E., GIDIULI R. & DAMILANO I. Relevance of red cell distribution width (RDW) in the differential diagnosis of mycrocytic anaemias **141**

CHALVARDJIAN P., *see* LISHNER M.

CHAN J.K.C., *see* WONG K.F.

CHANDLER S., *see* BAGLIN T.P.

CHAPMAN C., *see* KENDALL R.G.

CHARLES P., *see* SHEPHERD K.M.

CHIN-YEE I., KEENEY M. & LOHMANN R.C. Flow cytometric reticulocyte analysis using thiazole orange; clinical experience and technical limitations **177**

CHU Y.C., *see* WONG K.F.

CINKOTAI K.I., *see* MACHETA A.T.

COLLINS P.W., JONES L. POCOCK C. & NEWLANDS A.C. Microangiopathic haemolysis associated with occult carcinoma **245**

COOK J.D., *see* WORWOOD M.

COOPER E.H., *see* SMITH G.M.

COOPER J., *see* SMITH G.M.

COSTELLO C., MIR N., HUGHES R.A. & RILEY B. Correspondence: Methotrexate-induced bone-marrow suppression **322**

CROCKER J., *see* BAGLIN T.P.

CULLIS J.O. & HYDE R.D. Case report: Acute epiglottitis in immunocompromised patients—a report of two cases **379**

CUMBER P.M., *see* YATES, P.

CURRIE J.M., *see* ADAMSON D.J.A.

CURTIS J.E., *see* SHERIDAN B.L.

D'ONOFRIO G., SALVATI A.M., BERTI P., CAPPABIANCA M.P., MARSILI G., QUARANTELLI M., ZINI G., CASINI C., DE PHILIPPIS C., MANGO G. & FERRINI P.R. Analysis of leucocyte populations with the Coulter S-Plus STKR as a screening tool for haematological abnormalities **51**

DALE B.M., *see* SHEPHERD K.M.

DAMILANO I., *see* CESANA B.M.

DAMILANO I., *see*, CESANA, B.M.

DAVENPORT P., *see* ROATH, S.

DAWE A., *see* MAJER R.V.

DE NORONHA R., TAYLOR B.A., WILD G., TRIGER D.R. & GREAVES M. Interrelationship between platelet count, platelet IgG, serum IgG, immune complexes and severity of liver disease **127**

DE PHILIPPIS C., *see* D'ONOFRIO G.

DEPASQUALE A.K., *see* DIMITRIOU P.A.

DI CATALDO A., *see* SAMPERI P.

DIBENEDETTO S.P., *see* SAMPERI P.

DIMITRIOU P.A., GERMENIS A.E., KASFIKI A.G., DEPASQUALE A.K., KARPATHIOS T.E. & ANTIPAS S.-E.P. The effect of blood transfusion on ^{51}Cr-red blood cells

surface-counting data in homozygous β-thalassaemia **363**
DODSWORTH H., *see* BENJAMIN S.
DUBE I.D., *see* LISHNER M.
DUDGEON J., *see* MURPHY J.A.
DURRANT S.T.S., *see* AKHTAR M.

FERNANDES B., *see* LISHNER M.
FERRINI P.R., *see* D'ONOFRIO, G.
FIDA S., *see* WICKRAMASINGHE S.N.
FISHLOCK K. *see* HENDERSON S.J.
FITZSIMONS E.J., *see* MORRISON M.
FLOWERS C.H., *see* WORWOOD M.
FORBES M.A., *see* SMITH G.M.
FUJIWARA M., *see* TAKAHASHI M.
FUNG K.P. *see* HAN P.
FUTTER J., *see* SHEPHERD K.M.

GARDNER B., *see* WICKRAMASINGHE S.N.
GARVEY B., *see* LEWIS S.M.
GEARY C.G., *see* MACHETA A.T.
GERMENIS A.E., *see* DIMITRIOU P.A.
GERRITS W.B.J., *see* SCHONEWILLE H.
GIDIULI I., *see* CESANA B.M.
GIDIULI R., *see* CESANA B.M.
GOOSSENS W., VAN DUPPEN V. & VERWILGHEN R.L. K_2- or K_3-EDTA: the anticoagulant of choice in routine haematology? **291**
GRANDISON Y., *see* THAME M.
GREAVES M. *see* DE NORONHA R.
GREEN P. Correspondence: Guidelines for implementation of a maximum surgical blood order schedule **323**
GREEN P.J., *see* JONES-LECOINTE A.
GREEN P.J., *see* MAJER R.V.
GREEN A. *see* JONES-LECOINTE A.
GREGG A., *see* SHEPHERD K.M.

HAAK H.L. *see* SCHONEWILLE H.
HAIN R. *see* MCMULLIN M.F.
HAMBLING M.H., *see* SMITH G.M.
HAN P. & FUNG K.P. Discriminant analysis of iron deficiency anaemia and heterozygous thalassaemia traits: a 3-dimensional selection of red cell indices **351**
HARNETT A.N. *see* MURPHY J.A.
HARRIS R.I., *see* PATTON W.N.
HARRISON B.J., *see* YATES P.
HARTLEY A.E., *see* KENDALL R.G.
HAZLEHURST G., *see* SMITH O.P.
HEARD S.E., WESTWOOD N.B. & PEARSON T.C. Correspondence: Homozygous haemoglobin O-Arab in pregnancy **319**
HEATH A., *see* WORWOOD M.
HENDERSON S.J., FISHLOCK K., HORN M.E.C., ONI L. & BELLINGHAM A.J. Neonatal screening for haemoglobin variants using filter paper-dried blood specimens **327**
HIGGS G., *see* THAME M.
HOFFBRAND A.V., *see* SMITH O.P.
HOGG R.B., *see* MURPHY J.A.
HORN M.E.C. *see* HENDERSON S.J.
HUGHES R.A., *see* COSTELLO C.
HUHN D., *see* OERTEL J.
HUISSEN C.H. & KUIJPERS E.W. Quick cytochemical staining of blood and marrow cells in a microwave oven **197**
HUNT A.J.A., *see* SHERIDAN B.L.
HYDE R.D., *see* CULLIS J.O.

JONES L., *see* COLLINS P.W.
JONES-LECOINTE A. & GREEN A. Correspondence: Refractory idiopathic thrombocytopenia purpura responsive to α interferon **320**
JONES-LECOINTE A., *see* MAJER R.V.
JONES-LECOINTE A., GREEN P.J. & LEE H.A. Sub-optimal doses of human recombinant erythropoietin markedly lower serum ferritin **251**

KARIO K., MATSUO, T., NAKAO, K., YAMAGUCHI N. & MATSUO T. Correspondence: The correlation between red cell distribution width and the serum erythropoietin titres **222**
KARPATHIOS T.E., & DIMITRIOU P.A.
KASFIKI A.G., *see* DIMITRIOU P.A.
KEENEY M., *see* CHIN-YEE I.
KENDALL R.G., CHAPMAN C., HARTLEY A.E. & NORFOLK D.R. Storage and preparation of samples for erythropoietin radioimmunoassay **189**
KERKHOFS H., *see* SCHONEWILLE H.
KHOKHAR A.A., *see* NEILSON R.F.
KOIKE T., *see* TAKAHASHI M.
KOTASEK D., *see* SHEPHERD K.M.
KOYAMA S., *see* TAKAHASHI M.
KUIJPERS E.W., *see* HUISSEN C.H.
KYLE B., *see* MCKAY P.J.

LAUDER I., *see* AKHTAR N.
LEE H.A., *see* JONES-LECOINTE A.
LEE K., BAGLIN T.P. & MARCUS R.E. Case report: Therapy-related leukaemia in Wegener's granulomatosis **207**
LEWIS M.J., *see* NARAYANAN M.N.

LEWIS S.M., GARVEY B., MANNING R., SHARP S.A. & WARDLE, J. Lauryl sulphate haemoglobin: a non-hazardous substitute for HiCN in haemoglobinometry **279**
LIEBERMAN B.A., *see* SHWE K.H.
LIPSKI S., *see* OERTEL J.
LISHNER M., AMATO D., CHALVARDJIAN P., BAKER M.A., FERNANDES B., PANTALONY D. & DUBE I.D. Case report: Unusual findings in two patients with acquired deletions of the long arm of chromosome 5 (5q−) **87**
LIU YIN J.A., *see* MACHETA A.T.
LOBECK H., *see* OERTEL J.
LOHMANN R.C., *see* CHIN-YEE I.
LOVE E.M., *see* MACHETA A.T.
LOVE E.M., *see* SHWE K.H.
LUCIE N.P., *see* MCKAY P.J.

MACHETA A.T., CINKOTAI K.I., LOVE E.M., GEARY C.G. & LIU YIN J.A. Bone necrosis complicating chronic myeloid leukaemia **163**
MAHENDRA P., *see* MCMULLIN M.F.
MAIOLO A.T., *see* CESANA B.M.
MAJER R.V., DAWE A., WEIR P., JONES-LECOINTE A. & GREEN P.J. Which tests are most useful in distinguishing between reactive thrombocytosis and the thrombocytosis of myeloproliferative disease? **9**
MANCUSO G.R., *see* SAMPERI P.
MANGO G., *see* D'ONOFRIO G.
MANNING R., *see* LEWIS S.M.
MARCUS R.E., *see* LEE K.
MARSILI G., *see* D'ONOFRIO G.
MASON K., *see* THAME M.
MASSARO P., *see* CESANA B.M.
MATSUO T., *see* KARIO K.
MATSUO T., *see* KARIO K.
MATSUZAKI M., *see* SHIMAMOTO Y.
MAYNE K.M., ALLEN D.L. & BOWELL P.J. 'Partial D' women with anti-D alloimmunization in pregnancy **239**
MCKAY P.J., KYLE B., MCLAREN A., MCMILLAN M.A. & LUCIE N.P. CD5− T lymphocytes in renal transplant recipients **335**
MCLAREN A., *see* MCKAY P.J.
MCMILLAN M.A., *see* MCKAY P.J.
MCMULLIN M.F., MAHENDRA P., HAIN R. & BARRETT A.J. Case report: Myelodysplasia as the initial presentation of Fanconi's anaemia in a phenotypically normal child **387**
MCVERRY B.A., *see* SMITH G.M.
MEHTA A.B., *see* SMITH O.P.
MIR N., *see* COSTELLO C.
MORIYAMA Y., *see* TAKASHAI M.
MORRIS J., *see* THAME M.
MORRISON M. & FITZSIMONS E.J. Correspondence: Discrepant INR values strike again **221**
MURPHY J.A., PITTS J.F., DUDGEON J., HOGG R.B. & HARNETT A.N. Case report: Retinal detachments due to chronic lymphocytic leukaemia **217**

NAGAYAMA P., *see* TAKAHASHI M.
NAKAMORI Y., *see* TAKAHASHI M.
NAKAO K., *see* KARIO K.
NARAYANAN M.N. & LEWIS M.J. Case report: Spontaneous complete remission of acute myeloid leukaemia with interstitial deletion of chromosome 5 **391**
NASH J., *see* NG, K.
NEILSON, R.F. & KHOKHAR A.A. Corresponence: Red cell aplasia in mother and son **224**
NEWLAND A.C., *see* SHWE K.H.
NEWLANDS A.C., *see* COLLINS P.W.
NG C.S., *see* WONG K.F.
NG K., NASH J. & WOODCOCK B.E. Case report: High grade lymphoma of the cerebellum: a rare complication of chronic lymphatic leukaemia **93**
NORFOLK D.R., *see* KENDALL R.G.
NORMAN J.E., *see* SHEPHERD K.M.

O'BRIEN H.A. & SOURIAL N.A. Case report: Severe megaloblastic anaemia presenting as pancytopenia with red cell hypoplasia and elevated serum cobalamin and cobalamin binding proteins **307**
OERTEL J., LIPSKI S., LOBECK H. & HUHN D. Detection of light chain restriction in chronic B-lymphoid leukaemia and B-non-Hodgkin's lymphoma **33**
OHNISHI M., *see* TAKAHASHI M.
ONI L., *see* HENDERSON S.J.

PANTALONY D., *see* LISHNER M.
PATTON W.N., CAVE R.J. & HARRIS R.I. A study of changes in red cell volume and haemoglobin concentration during phlebotomy induced iron deficiency and iron repletion using the Technicon H1 **153**

PEARSON T.C., *see* HEARD S.E.
PINKERTON P.H., *see* SHERIDAN B.L.
PITTS J.F., *see* MURPHY J.A.
POCOCK C., *see* COLLINS P.W.
POLLI E.E., *see* CESANA B.M.
POTTER M.N., *see* YATES P.
PRENTICE H.G., *see* SMITH O.P.

QUARANTELLI M., *see* D'ONOFRIO G.

RAGUSA R., *see* SAMPERI P.
RILEY B., *see* COSTELLO C.
ROATH S. & DAVENPORT P. Leucocyte numbers and quality: their effect on viscosity **255**
RODEGHIERO F., *see* TOSETTO A.

SAGE R.E., *see* SHEPHERD K.M.
SALVATI A.M., *see* D'ONOFRIO G.
SAMPERI P., MANCUSO G.R., DIBENEDETTO S.P., DI CATALDO A., RAGUSA R. & SCHILIRÒ G. High performance liquid chromotography (HPLC): a simple method to quantify Hb C, O-Arab, Agenogi and F **169**
SANDERSON S., *see* YATES P.
SCHILIRÒ G., *see* SAMPERI P.
SCHONEWILLE H., HAAK H.L., KERKHOFS H. & GERRITS W.B.J. The effect of anticoagulants on the size of platelets in blood smears in the course of time **67**
SERJEANT B., *see* THAME M.
SERJEANT G., *see* THAME M.
SHARP S.A., *see* LEWIS S.M.
SHEPHERD K.M., CHARLES P., SAGE R.E., DALE B.M., NORMAN J.E., KOTASEK D., GREGG A. & FUTTER J. Mobilization of haemopoietic stem cells by cyclophosphamide into the peripheral blood of patients with haematological malignancies **25**
SHERIDAN B.L., PINKERTON P.H., CURTIS J.E., TEPPERMAN A.D. & HUNT A.J.A. Case report: The myelokathexis-variant of the myelodysplastic syndrome—a second example **81**
SHIBATA A., *see* TAKAHASHI M.
SHIMAMOTO Y., MATSUZAKI M. & YAMAGUCHI M. Case report: Effective treatment of the anaemia associated with multiple myeloma by recombinant human erythropoietin **311**
SHWE K.H., LOVE, E.M., LIEBERMAN B.A. & NEWLAND A.C. Case report: High dose intravenous immunoglobulin in the prenatal management of neonatal alloimmune thrombocytopenia **75**
SMITH G.M., FORBES M.A., COOPER J., BRADLEY T., HAMBLING M.H., COOPER E.H. & MCVERRY B.A. Prognostic indicators for the development of AIDS in HIV antibody positive haemophiliac patients: results of a three-year longitudinal study **115**
SMITH O.P., PRENTICE H.G., HAZLEHURST G., BROZOVIC B., HOFFBRAND A.V. & MEHTA A.B. Blood product support in patients undergoing chemotherapy and autologous or allogeneic bone marrow transplantation for haematological malignancies **107**
SOGO N., *see* TAKAHASHI M.
SOUVIAL N.A., *see* O'BRIEN H.A.

TAKAHASHI M., KOIKE T., NAGAYAMA R., FUJIWARA M., KOYAMA S., OHNISHI M., NAKAMORI Y., SOGA N., AOKI S., TATEWAKI W., WADA K., MORIYAMA Y. & SHIBATA A. Myelodysplastic syndrome with myelofibrosis: myelodysplastic syndrome as a major primary disorder for acute myelofibrosis **17**
TATEWAKI W., *see* TAKAHASHI M.
TAYLOR B.A., *see* DE NORONHA R.
TEPPERMAN A.D., *see* SHERIDAN B.L.
THAME M., GRANDISON Y., MASON K., THOMPSON M., HIGGS G., MORRIS J., SERJEANT B. & SERJEANT G. The red cell distribution width in sickle cell disease—is it of clinical value? **299**
THOMPSON J., *see* AKHTAR N.
THOMPSON M., *see* THAME M.
THORPE S.J., *see* WORWOOD M.
TIMMINS A., *see* BAGLIN T.P.
TOSETTO A. & RODEGHIERO F. Parallel line bioassay in a coagulation laboratory. A program for personal computer use and an example application to Ristocetin Cofactor assay **371**
TRIGER D.R., *see* DE NORONHA R.

VAN DUPPEN V., *see* GOOSSENS W.
VAN RHEE F. & ABELA M. Correspondence: Coombs negative haemolytic anaemia responding to intravenous immunoglobulins in a patient with myelodysplastic syndrome **99**

VERWILGHEN R.L., *see* GOOSSENS W.
WADA K., *see* TAKAHASHI M.
WARDLE J., *see* LEWIS S.M.
WATERS A.H. Correspondence: Guidelines for implementation of a maximum surgical blood order schedule. Reply from Chairman, BCSH **324**
WEIR P., *see* MAJER R.V.
WESTWOOD N.B., *see* HEARD S.E.
WICKRAMASINGHE S.N. & FIDA S. Correspondence: Testing the myelotoxic potential of new anti-HIV drugs *in vitra* **397**
WICKRAMASINGHE S.N. Observations on the ultrastructure of sinusoids and reticular cells in human bone marrow **263**
WICKRAMASINGHE S.N., BARDEN G. & GARDNER B. Ability of unstimulated and phorbol-ester-stimulated human blood-monocyte-derived macrophages to metabolize drugs and its implications **41**
WILD G., *see* DE NORONHA R.
WONG K.F. Correspondence: Case report. Spurious thrombocytosis in a patient with severe burn **397**
WONG K.F., CHAN J.K.C., NG C.S. & CHU Y.C. Case report: Erythroleukaemia-associated haemophagocytic syndrome **383**
WOOD J.K., *see* AKHTAR N.
WOODCOCK B.E., *see* NG K.
WORWOOD M., THORPE S.J., HEATH A., FLOWERS C.H. & COOK J.D. Stable lyophilized reagents for serum ferritin assay **297**

YAMAGUCHI N., *see* KARIO K.
YAMAGUCHI M., *see* SHIMAMOTO Y.
YATES P., CUMBER P.M., SANDERSON S. & HARRISON, B.J. Mesenteric venous thrombosis due to protein C deficiency **137**
YATES P. & POTTER M.N. Case report: Eosinophilic leukaemia with an abnormality of 5q31, the site of the IL-5 gene **211**

ZINI G., *see* D'ONOFRIO G.

Clin. lab. Haemat. 1991, **13**, 411–413

Subject index to Volume 13

Acute leukaemia **255**
Acute myelofibrosis **17**
AIDS **115**
Alloimmune, neonatal **75**
Alloimunization **239**
Alpha-interferon **315**
Anaemia **311**
  Coombs haemolytic **99**
  iron deficiency **141**
Anti-PL^{A1} **75**
Anticoagulant **291**
  time **67**
Anticoagulants, effect on size of platelets **67**
Area distribution width **67**
Autologous bone marrow transplantation **177**

β thalassaemia **141**
  variants **169**
Bioassay **371**
Blood count **291**
Blood products **107**
Blood transfusion **363**
Blood viscosity **255**
Bone marrow necrosis **163**
  autologous transplantation **177**
  staining in microwave oven **197**

Carcinoma **245**
Castleman's disease **349**
Cell numbers **255**
Chemotherapy **107**
Children **387**
Choroid **217**
Chromatography, high performance liquid **169**
Chromosome 5 (5q−) **87**
Chromosomes **391**
Chronic leukaemia **255**
  myeloid leukaemia **163**
Clinical sensitivity **51**
Coombs negative haemolytic anaemia **99**
Coulter STKR **51**
Cyclophosphamide **25**
Cyclosporin **335**
Cytochemistry **197**
Cytochrome P-540 **41**

Differential diagnosis **141**
Diphenylhydantoin **41**
Discriminant analysis **351**
Disorders, lymphoproliferative **87**
  mast-cell **87**
Drug metabolism **41**

EDTA **291**
ELISA **297**
Elevated serum cobalamin **307**
  binding proteins **307**
End stage renal failure **251**
Eosinophilic leukaemia **211**
Epiglottitis **379**
Erythrocyte survival study **363**
Erythroleukaemia **383**
Erythropoietin **311**
  recombinant **189**

Fanconi's anaemia **387**
Ferritin iron overload **251**
Fetal, paraumbilical blood sampling **75**
Fibrinogen **9**
Flow cytometry **177**
Fluorescence, mean intensity **177**

GM-CSF **211**
Granulocyte-macrophage colony-stimulating factor **211**
Guthrie card **327**

Haematological abnormalities **51**
  malignancies **107**
Haemoglobin A_2 **169**
Haemoglobincyanide **279**
Haemoglobinometry **279**
Haemoglobinopathy **327**
Haemophagocytic syndrome **383**
Haemophilia **115**
Haemopoietic stem cells **25**
Haemorrhage, in-utero intracranial **75**
Hodgkin's disease **1**
Human bone marrow **263**
Human recombinant erythropoietin **251**

IgA **115**
Immunoblastic lymphoma **93**
Immunocompromised **379**
Immunocytochemistry **33**
Immunoglobulin, high-dose, prenatal management **75**
Immunoglobulins **99**

In-utero intracranial haemorrhage **75**
Indices, red cell **153**
Infertility **349**
Interleukin-3 (IL-3) **211**
Interleukin-5 (IL-5) **211**
Iron deficiency **153, 351**
  anaemia **141**
Iron repletion **153**
Iso-electric focusing **327**

Lauryl sulphate haemoglobin **279**
Leucocyte differential count **51**
Leukaemia **391**
  chronic lymphatic **93**
  chronic lymphocytic **217**
  chronic lymphoid **33**
  chronic myeloid **163**
  eosinophilic **211**
  megakaryoblastic **17**
Liquid chromatography, high performance **169**
Liver disease **127**
Lymphatic leukaemia, chronic **93**
Lymphocyte subsets **335**
Lymphoma, immunoblastic **93**
Lymphoproliferative disorders **87**
Lyophilization **297**

Macrophages **41, 263**
  blood-monocyte-derived **41**
Malignancies, haematological **25, 107**
Marrow blood flow **341**
Marrow, cells staining, in microwave oven **197**
Mast-cell disorders **87**
Mean fluorescence intensity **177**
Megakaryoblastic leukaemia **17**
Megaloblastic anaemia **307**
Mesenteric vein **137**
Metabolism, drug **41**
Microangiopathic haemolysis **245**
Microglobulin, β2- **115**
Microwave **197**
Monoclonal antibody **297**
Monocytes **41**
Multiple myeloma **311**
Myelodysplasia **387**
Myelodysplastic syndrome **17, 81, 99**
Myelofibrosis **17, 341**
Myelokathexis **81**
Myeloproliferative disease **9**

Neonatal screening **327**
  alloimmune **75**
Non-Hodgkin's lymphoma **33**

Orbital radiotherapy **217**

P24 antigen **115**
Paraumbilical fetal blood sampling **75**
Peripheral blood **25**
Phenobarbital **41**
Phlebotomy **153**
Plasma viscosity **1**
Platelet IgG **127**
Platelet area, mean **67**
Prognosis, Hodgkin's disease **1**
Protein C defiency **137**

RDW **141, 229**
Radioimmunoassay **189**
Reactive thrombosis **9**
Recombinant erythropoietin **189**
Red cell distribution width **141**
Red cell hypoplasia **307**
Red cell indices **153**
Reference limits **141**
Remission **391**
Renal transplantation **335**
Reticular cells **263**
Reticulocyte **177**
Retinal detachment **217**
Rhesus blood group **239**
Richter's syndrome **93**

SS disease **229**
Sample preparation **189**
  storage **189**
Screening tool, Coulter STKR **51**
Serum ferritin **297**
Sickle **229**
Sinusoids **263**
Software **371**
Staining of blood and bone marrow cells **197**
Stem cells **25**
Superoxide anion radicals **41**
Surface-counting **363**
Syndrome, 5q− **87**
  Richter's **93**
Syndromes, myelodysplastic **87**

Thalassaemia **351, 363**
Therapy-related leukaemia **207**
Thermography **341**
Thiazole orange **177**
Three-part differential count **51**

Thrombocytopenia **315**
neonatal alloimmune **75**
Thrombocytopenias **127**
Thrombocytosis, reactive **9**
Thrombosis **137**
Trait, β-thalassaemia **141**
Transplantation **107**

Ultrastructure **263**

Vascularity **341**

Wegener's granulomatosis **207**
von Willebrand's factor **371**